

Industrial scales

NTD has included in its supply line a new wide range of industrial scales.

AM Series



| MODEL | AM-3000 | AM-6000 | AM-15K | AM-30K |
|--------------------------|-----------------|---------|--------|--------|
| Capacity (g) | 3.000 | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 1 | 2 | 5 | 10 |
| Weight Units | g, g m2, oz, ct | | | |
| Structure material | ABS | | | |
| Platform dimensions (mm) | 337 x 282 | | | |
| Scales dimensions (mm) | 337 x 295 x 134 | | | |
| Weight (kg) | 4 | | | |

D1 Series



| MODEL | D1-1000 | D1-5000 |
|--------------------------|----------------|---------|
| Capacity (g) | 1.000 | 5.000 |
| Resolution (g) | 0,1 | 1 |
| Weight Units | lb, oz, gr | |
| Structure material | ABS | |
| Platform dimensions (mm) | 185 x 140 | |
| Scales dimensions (mm) | 185 x 210 x 85 | |
| Weight (kg) | 1,090 | |

DM Series



| MODEL | DM-1100 | DM-3000 | M | DM-6000 | M | DM-11K | DM-15K | M | DM-30K | M |
|-----------------------------------|-----------------|---------|---|---------|---|--------|--------|---|--------|---|
| Capacity (g) | 1.100 | 3.000 | | 6.000 | | 11.000 | 15.000 | | 30.000 | |
| Resolution (g) | 0,1 | 0,5 / 1 | | 1 / 2 | | 1 | 2 / 5 | | 5 / 10 | |
| Checking | - | 1 | | 2 | | - | 5 | | 10 | |
| Weigh Units | g, lb, oz/lb | | | | | | | | | |
| Structure material | ABS | | | | | | | | | |
| Platform dimensions (mm) | 250 x 215 | | | | | | | | | |
| Scales dimensions (mm) | 270 x 278 x 145 | | | | | | | | | |
| Weight (kg) | 4 | | | | | | | | | |
| AVAILABLE OPTIONS | | | | | | | | | | |
| RS 232-C Option | | | | | | | | | | |
| PR3 Printer | | | | | | | | | | |
| CVCE-30 scale checking until 30kg | | | | | | | | | | |

CM Series



| MODEL | CM-3 | CM-6 | CM-15 | CM-30 |
|--------------------------|---------------------|-------|--------|--------|
| Capacity (g) | 3.000 | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 0,1 | 0,2 | 0,5 | 1 |
| Reproducibility | 0,2 | 0,5 | 1 | 2 |
| Weight Units | g (kg), lb, oz/lb2 | | | |
| Structure Material | ABS | | | |
| Consumption | 12m / 36 mA backlit | | | |
| Platform dimensions (mm) | 220 x 310 | | | |
| Scales dimensions (mm) | 325 x 330 x 110 | | | |
| Weight (kg) | 3,8 | | | |
| AVAILABLE OPTIONS | | | | |
| Relay option | | | | |
| PR3 Printer | | | | |

DS Series



| MODEL | DS-6 | DS-15 | DS-30 |
|--------------------------|---------------------|--------|--------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 1 | 2 | 5 |
| Weight Units | g(kg), lb, oz/lb | | |
| Consumption | 12mA / 36mA backlit | | |
| Structure Material | ABS | | |
| Platform dimensions (mm) | 220 x 310 | | |
| Scales dimensions (mm) | 325 x 330 x 110 | | |
| Weight (kg) | 3,8 | | |

GX Series



| MODEL | GX-6000 | GX-15K | GX-30K |
|--------------------------|-------------------|--------|--------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 0,5 | 1 | 2 |
| Weight Units | g(kg), lb, oz/lb | | |
| Structure Material | Stainless and ABS | | |
| Platform dimensions (mm) | 225 x 185 | | |
| Scales dimensions (mm) | 235 x 285 x 110 | | |
| Weight (kg) | 3,8 | | |

S3 Series



| MODEL | S3-6 | S3-15 | S3-30 |
|---|------------------------|--------|--------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 1 | 2 | 5 |
| Available quantities for insertion of the sample in the counting scales | 10, 25, 50, 100. | | |
| Weight Units | g(kg), lb, oz/lb | | |
| Interface | RS-232C | | |
| Structure Material | Upper and lower in ABS | | |
| Hermetic protection | IP-66 | | |
| Platform dimensions (mm) | 250 x 202 | | |
| Scales dimensions (mm) | 291 x 398 x 98 | | |
| Weight (kg) | 3,7 | | |
| AVAILABLE OPTIONS | | | |
| Battery | | | |
| Relay output | | | |
| Button output external tare | | | |
| Wireless output | | | |
| Double data output, printer and RS 232-C | | | |
| PR3 and PR3-W printers | | | |
| Tickets printing with date and time | | | |
| RD3 and RD3-W remote displays | | | |
| Virtual KeySoftware for PC, and data collection | | | |
| Tare foot switch | | | |

S4 Series



| MODEL | S4-6K | S4-15K | S4-30K |
|--------------------------|-----------------|--------|--------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 2 | 5 | 10 |
| Weight Units | g (kg), lb | | |
| Structure Material | ABS | | |
| Platform dimensions (mm) | 220 x 310 | | |
| Scales dimensions (mm) | 325 x 330 x 110 | | |
| Weight (kg) | 3,8 | | |
| AVAILABLE OPTIONS | | | |
| PR3 Printer | | | |
| RS 232-C Option | | | |

S4N Series



| MODEL | S4N-6K | S4N-15K | S4N-30K |
|--------------------------|-----------------|---------|---------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 2 | 5 | 10 |
| Weight Units | kg, lb | | |
| Structure Material | ABS | | |
| Platform dimensions (mm) | 220 x 310 | | |
| Scales dimensions (mm) | 325 x 330 x 110 | | |
| Weight (kg) | 3,8 | | |
| AVAILABLE OPTIONS | | | |
| PR3 Printer | | | |

S5i/S7i Series



| MODEL | S5i-6K | S5i-15K | S5i-30K | S7i-15K | S7i-30K |
|-----------------------------|--------------------------|---------|---------|-----------------|---------|
| Capacity (g) | 6.000 | 15.000 | 30.000 | 15.000 | 30.000 |
| Resolution (g) | 0,5 | 1 | 2 | 1 | 2 |
| Weight Units | kg, g, lb, oz | | | | |
| Hermetic Protection | IP-67 | | | | |
| Case and Platform Materials | AISI 304 stainless steel | | | | |
| Platform dimensions (mm) | 310 x 175 | | | 415 x 305 | |
| Scales dimensions (mm) | 310 x 310 x 110 | | | 415 x 400 x 110 | |
| Weight (kg) | 7 | | | 14 | |

MM Series



| MODEL | MM-6000 |
|--------------------------|----------------|
| Capacity (g) | 6 |
| Resolution (g) | 1 |
| Weight Units | g (kg), lb, oz |
| Structure Material | ABS |
| Platform dimensions (mm) | 176 x 176 |
| Scales dimensions (mm) | 245 x 202 x 80 |
| Weight (kg) | 1.2 |

P150 Series



| MODEL | P-150 |
|--------------------------|------------------|
| Capacity (g) | 150 |
| Resolution (g) | 0,01 |
| Weight Units | g m2, g/m linear |
| Structure Material | ABS |
| Platform dimensions (mm) | Ø110 |
| Scales dimensions (mm) | 200 x 180 x 70 |
| Weight (kg) | 810 |

RZ Series



| MODEL | RZ-6 | RZ-15 | RZ-30 |
|--------------------------|---------------------|--------|--------|
| Capacity (g) | 6.000 | 15.000 | 30.000 |
| Resolution (g) | 0,5 | 1 | 2 |
| Weight Units | kg, g, lb | | |
| Structure Material | high resistance ABS | | |
| Platform dimensions (mm) | 294 x 228 | | |
| Scales dimensions (mm) | 330 x 289 x 104 | | |
| Weight (kg) | 3,4 | | |
| AVAILABLE OPTIONS | | | |
| RS-232C output | | | |
| U.KEY (USB) Cable | | | |
| PR3 Printer | | | |